

SAFETY DATA SHEET



according to Regulation (EC) No 1907/2006 (REACH) as amended

Silicon-free distributor for the forms

Creation date 21. August 2017
Revision date 28. September 2018 Version 1.03

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- 1.1. Product identifier**
Substance / mixture Silicon-free distributor for the forms mixture
- 1.2. Relevant identified uses of the substance or mixture and uses advised against**
mixture's intended use Lubricating agent.
Disapproved uses of mixture The product should not be used in ways other than those referred in Section 1.
- 1.3. Details of the supplier of the safety data sheet**
- Manufacturer**
- | | |
|----------------------------|---|
| Name or trade name | AG TermoPasty Grzegorz Gąsowski |
| Address | Kolejowa 33 E, Sokoły, 18-218 Poland |
| Identification number (ID) | 200133730 |
| VAT Reg No | 9661767714 |
| Phone | 862741342 |
| E-mail | biuro@termopasty.pl |
| Web address | www.termopasty.pl |
- Competent person responsible for the safety data sheet**
- | | |
|--------|---------------------------------|
| Name | AG TermoPasty Grzegorz Gąsowski |
| E-mail | biuro@termopasty.pl |
- 1.4. Emergency telephone number**
National Health Service (NHS) 111
National poisoning information centre Scotland, NHS 24: 111

SECTION 2: Hazards identification

- 2.1. Substance or mixture classification**
Classification of the mixture in accordance with Regulation (EC) No 1272/2008
The mixture is classified as dangerous.

Aerosol 1, H222, H229

Full text of all classifications and hazard statements is given in the section 16.

Most serious adverse physico-chemical effects

Extremely flammable aerosol. Pressurised container: May burst if heated.

- 2.2. Label elements**

Hazard pictogram



Signal word

Danger

Hazard statements

H222 Extremely flammable aerosol.
H229 Pressurised container: May burst if heated.

Precautionary statements

P102 Keep out of reach of children.
P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P211 Do not spray on an open flame or other ignition source.
P251 Do not pierce or burn, even after use.
P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

SAFETY DATA SHEET



according to Regulation (EC) No 1907/2006 (REACH) as amended

Silicon-free distributor for the forms

Creation date 21. August 2017
Revision date 28. September 2018 Version 1.03

2.3. Other hazards

Mixture does not contain any substance meet the criteria for PBT or vPvB in accordance with Annex XIII of Regulation (EC) No. 1907/2006 (REACH) as amended.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

Mixture of substances and additives specified below.

Mixture contains these hazardous substances and substances with the highest permissible concentration in the working environment

| Identification numbers | Substance name | Content in % weight | Classification according to Regulation (EC) No 1272/2008 | Note. |
|---|---|---------------------|---|---------|
| Index: 601-003-00-5 CAS: 74-98-6 EC: 200-827-9 | propane | 30 | Flam. Gas 1, H220 | 3 |
| Index: 601-004-00-0 CAS: 106-97-8 EC: 203-448-7 | butane | 28,5 | Flam. Gas 1, H220 | 1, 3, 4 |
| Index: 649-328-00-1 CAS: 64742-49-0 EC: 265-151-9 | [A complex combination of hydrocarbons obtained by treating a petroleum fraction with hydrogen in the presence of a catalyst. It consists of hydrocarbons having carbon numbers predominantly in the range of C4 through C11 and boiling in the range of approximately minus 20°C to 190°C (-4°F to 374°F) .] | <2 | Flam. Liq. 2, H225 Asp. Tox. 1, H304 Skin Irrit. 2, H315 STOT SE 3, H336 Repr. 2, H361 Aquatic Chronic 2, H411 | 2, 4 |

Notes

- Note C: Some organic substances may be marketed either in a specific isomeric form or as a mixture of several isomers. In this case the supplier must state on the label whether the substance is a specific isomer or a mixture of isomers.
- Note P: The classification as a carcinogen or mutagen need not apply if it can be shown that the substance contains less than 0,1 % w/w benzene (EINECS No 200-753-7). When the substance is not classified as a carcinogen at least the precautionary statements (P102-)P260-P262-P301 + P310-P331 (Table 3.1) or the S-phrases (2-)23-24-62 (Table 3.2) shall apply. This note applies only to certain complex oil-derived substances in Part 3.
- When put on the market gases have to be classified as "Gases under pressure", in one of the groups compressed gas, liquefied gas, refrigerated liquefied gas or dissolved gas. The group depends on the physical state in which the gas is packaged and therefore has to be assigned case by case. The following codes are assigned:

Press. Gas (Comp.)
Press. Gas (Liq.)
Press. Gas (Ref. Liq.)
Press. Gas (Diss.)

Aerosols shall not be classified as gases under pressure (See Annex I, Part 2, Section 2.3.2.1, Note 2).

- The use of the substance is restricted by Annex XVII of REACH Regulation.

Full text of all classifications and hazard statements is given in the section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

If any health problems are manifested or if in doubt, inform a doctor and show him information from this safety data sheet.

Inhalation

Terminate the exposure immediately; move the affected person to fresh air. Protect the person against growing cold. Provide medical treatment if irritation, dyspnoea or other symptoms persist.

Skin contact

Remove contaminated clothes. Wash the affected area with plenty of water, lukewarm if possible.

SAFETY DATA SHEET



according to Regulation (EC) No 1907/2006 (REACH) as amended

Silicon-free distributor for the forms

| | | | |
|---------------|--------------------|---------|------|
| Creation date | 21. August 2017 | Version | 1.03 |
| Revision date | 28. September 2018 | | |

Eye contact

Rinse eyes immediately with a flow of running water, open the eyelids (also using force if needed); remove contact lenses immediately if worn by the affected person. Rinsing should continue at least for 10 minutes.

Ingestion

Unlikely.

4.2. Most important symptoms and effects, both acute and delayed

Inhalation

Not expected.

Skin contact

Not expected.

Eye contact

When intruding eyes, it can evoke irritation.

Ingestion

Not expected.

4.3. Indication of any immediate medical attention and special treatment needed

Symptomatic treatment.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Alcohol-resistant foam, carbon dioxide, powder, water spray jet, water mist.

Unsuitable extinguishing media

Water - full jet.

5.2. Special hazards arising from the substance or mixture

In the event of fire, carbon monoxide, carbon dioxide and other toxic gases may arise. Inhalation of hazardous degradation (pyrolysis) products may cause serious health damage.

5.3. Advice for firefighters

Use a self-contained breathing apparatus and full-body protective clothing. Self-Contained Breathing Apparatus (SCBA) with a chemical protection suit only where personal (close) contact is likely. Closed containers with the product near the fire should be cooled with water. Do not allow run-off of contaminated fire extinguishing material to enter drains or surface and ground water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Provide sufficient ventilation. Extremely flammable aerosol. Pressurised container: May burst if heated. Remove all ignition sources. Use personal protective equipment for work. Follow the instructions in the Sections 7 and 8.

6.2. Environmental precautions

Prevent contamination of the soil and entering surface or ground water.

6.3. Methods and material for containment and cleaning up

Ventilate the room. In the event of leakage of the substantial amount of the product, inform fire brigade and other competent bodies. After removal of the product, wash the contaminated site with plenty of water.

6.4. Reference to other sections

See the Section 7, 8 and 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Prevent formation of gases and vapours in flammable or explosive concentrations and concentrations exceeding the occupational exposure limits. The product should be used only in the areas where it is not in contact with open fire and other ignition sources. Use non-sparking tools. Use of antistatic clothes and footwear is recommended. No smoking. Protect against direct sunlight. Do not pierce or burn, even after use. Use personal protective equipment as per Section 8. Observe valid legal regulations on safety and health protection.

7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed containers in cold, dry and well ventilated areas designated for this purpose. Protect from sunlight. Do not expose to temperatures exceeding 50 °C.

7.3. Specific end use(s)

not available

SAFETY DATA SHEET



according to Regulation (EC) No 1907/2006 (REACH) as amended

Silicon-free distributor for the forms

Creation date 21. August 2017
Revision date 28. September 2018 Version 1.03

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

The mixture contains substances for which occupational exposure limits are set.

United Kingdom of Great Britain and Northern Ireland

| Substance name (component) | Type | Time of exposure | Value | Note | Source |
|----------------------------|------|------------------|------------------------|------|--------|
| butane (CAS: 106-97-8) | WEL | 8 hours | 1450 mg/m ³ | | GBR |
| | WEL | 15 minutes | 1810 mg/m ³ | | |
| | WEL | 8 hours | 600 ppm | | |
| | WEL | 15 minutes | 750 ppm | | |

DNEL

[A complex combination of hydrocarbons obtained by treating a petroleum fraction with hydrogen in the presence of a catalyst. It consists of hydrocarbons having carbon numbers predominantly in the range of C4 through C11 and boiling in the range of approximately minus 20°C to 190°C (-4°F to 374°F) .]

| Workers / consumers | Route of exposure | Value | Effect | Determining method |
|---------------------|-------------------|-----------------------------|--------------------------|--------------------|
| Workers | Inhalation | 1100-1300 mg/m ³ | Systemic acute effects | |
| Consumers | Inhalation | 640-1200 mg/m ³ | Systemic acute effects | |
| Workers | Inhalation | 840 mg/m ³ | Systemic chronic effects | |
| Consumers | Inhalation | 180 mg/m ³ | Systemic chronic effects | |

8.2. Exposure controls

Do not eat, drink and smoke during work. Wash your hands thoroughly with water and soap after work and before breaks for a meal and rest.

Eye/face protection

It is not needed.

Skin protection

Hand protection: Protective gloves resistant to the product. Contaminated skin should be washed thoroughly.

Respiratory protection

Halfmask with a filter against organic vapours or a self-contained breathing apparatus as appropriate if exposure limit values of substances are exceeded or in a poorly ventilated environment.

Thermal hazard

Not available.

Environmental exposure controls

Observe usual measures for protection of the environment, see Section 6.2.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| | |
|--|------------------------------|
| Appearance | spray |
| Physical state | gas at 20°C |
| color | colourless |
| Odour | data not available |
| Odour threshold | data not available |
| pH | data not available |
| Melting point/freezing point | data not available |
| Initial boiling point and boiling range | data not available |
| Flash point | data not available |
| Evaporation rate | non-applicable |
| Flammability (solid, gas) | Extremely flammable aerosol. |
| Upper/lower flammability or explosive limits | |
| flammability limits | data not available |
| explosive limits | data not available |

SAFETY DATA SHEET



according to Regulation (EC) No 1907/2006 (REACH) as amended

Silicon-free distributor for the forms

| | | | |
|--|--------------------|-------------------------|------|
| Creation date | 21. August 2017 | Version | 1.03 |
| Revision date | 28. September 2018 | | |
| Vapour pressure | | data not available | |
| Vapour density | | data not available | |
| Relative density | | data not available | |
| Solubility(ies) | | | |
| solubility in water | | not available | |
| solubility in fats | | not available | |
| Partition coefficient: n-octanol/water | | data not available | |
| Auto-ignition temperature | | data not available | |
| Decomposition temperature | | data not available | |
| Viscosity | | data not available | |
| Explosive properties | | data not available | |
| Oxidising properties | | data not available | |
| 9.2. Other information | | | |
| Density | | 0.788 g/cm ³ | |
| ignition temperature | | data not available | |

SECTION 10: Stability and reactivity

10.1. Reactivity

not available

10.2. Chemical stability

The product is stable under normal conditions.

10.3. Possibility of hazardous reactions

Unknown.

10.4. Conditions to avoid

The product is stable and no degradation occurs under normal use. Protect against flames, sparks, overheating and against frost. Pressurised container: May burst if heated.

10.5. Incompatible materials

Protect against strong acids, bases and oxidizing agents.

10.6. Hazardous decomposition products

Not developed under normal uses. Dangerous outcomes such as carbon monoxide and carbon dioxide are formed at high temperature and in fire.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

No toxicological data is available for the mixture.

Acute toxicity

Based on available data the classification criteria are not met.

[A complex combination of hydrocarbons obtained by treating a petroleum fraction with hydrogen in the presence of a catalyst. It consists of hydrocarbons having carbon numbers predominantly in the range of C4 through C11 and boiling in the range of approximately minus 20°C to 190°C (-4°F to 374°F) .]

| Route of exposure | Parameter | Value | Time of exposure | Species | Sex |
|-------------------|------------------|-------------------------|------------------|---------|-----|
| Oral | LD ₅₀ | >5000 mg/kg | | Rat | |
| Inhalation | LC ₅₀ | >5610 mg/m ³ | 4 hour | Rat | |
| Skin | LD ₅₀ | >2000 mg/kg | | Rabbit | |

Skin corrosion/irritation

Based on available data the classification criteria are not met.

Serious eye damage/irritation

Based on available data the classification criteria are not met.

SAFETY DATA SHEET



according to Regulation (EC) No 1907/2006 (REACH) as amended

Silicon-free distributor for the forms

Creation date 21. August 2017
Revision date 28. September 2018 Version 1.03

Respiratory or skin sensitisation

Based on available data the classification criteria are not met.

Germ cell mutagenicity

Based on available data the classification criteria are not met.

Carcinogenicity

Based on available data the classification criteria are not met.

Reproductive toxicity

Based on available data the classification criteria are not met.

Toxicity for specific target organ - single exposure

Based on available data the classification criteria are not met.

Toxicity for specific target organ - repeated exposure

Based on available data the classification criteria are not met.

Aspiration hazard

Inhalation of solvent vapors above values exceeding exposure limits for working environment may result in acute inhalation poisoning, depending on the level of concentration and exposure time. Based on available data the classification criteria are not met.

SECTION 12: Ecological information

12.1. Toxicity

Acute toxicity

Data for the mixture are not available.

[A complex combination of hydrocarbons obtained by treating a petroleum fraction with hydrogen in the presence of a catalyst. It consists of hydrocarbons having carbon numbers predominantly in the range of C4 through C11 and boiling in the range of approximately minus 20°C to 190°C (-4°F to 374°F) .]

| Parameter | Value | Time of exposure | Species | Environment |
|------------------|----------|------------------|---|-------------|
| EL ₅₀ | 4.5 mg/l | 48 hour | Invertebrates (Daphnia magna) | |
| NOEC | 2.6 mg/l | 21 day | Invertebrates (Daphnia magna) | |
| EL ₅₀ | 3.1 mg/l | 72 hour | Algae (Pseudokirchneriella subcapitata) | |
| LL ₅₀ | 8.2 mg/l | 96 hour | Fishes (Pimephales promelas) | |
| NOEL | 2.6 mg/l | 14 day | Fishes (Pimephales promelas) | |

12.2. Persistence and degradability

Biodegradability

[A complex combination of hydrocarbons obtained by treating a petroleum fraction with hydrogen in the presence of a catalyst. It consists of hydrocarbons having carbon numbers predominantly in the range of C4 through C11 and boiling in the range of approximately minus 20°C to 190°C (-4°F to 374°F) .]

| Parameter | Value | Time of exposure | Environment | Result |
|-----------|-------|------------------|-------------|----------------------|
| | >74 % | 28 day | | Easily biodegradable |

SAFETY DATA SHEET



according to Regulation (EC) No 1907/2006 (REACH) as amended

Silicon-free distributor for the forms

| | | | |
|---------------|--------------------|---------|------|
| Creation date | 21. August 2017 | Version | 1.03 |
| Revision date | 28. September 2018 | | |

Not available.

12.3. Bioaccumulative potential

Not available.

12.4. Mobility in soil

Not available.

12.5. Results of PBT and vPvB assessment

Product does not contain any substance meeting the criteria for PBT or vPvB in accordance with the Annex XIII of Regulation (EC) No 1907/2006 (REACH) as amended.

12.6. Other adverse effects

Not available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Hazard of environmental contamination; dispose of the waste in accordance with the local and/or national regulations. Proceed in accordance with valid regulations on waste disposal. Any unused product and contaminated packaging should be put in labelled containers for waste collection and submitted for disposal to a person authorised for waste removal (a specialized company) that is entitled for such activity. Do not empty unused product in drainage systems. The product must not be disposed of with municipal waste. Empty containers may be used at waste incinerators to produce energy or deposited in a dump with appropriate classification. Perfectly cleaned containers can be submitted for recycling.

Legislation of waste

Council Directive 75/442/EEC on waste, as amended. Decree No. 383/2001 Coll., on details regarding waste handling as amended. Decree No. 93/2016 Coll., (waste catalogue) as amended. Decision 2000/532/EC establishing a list of wastes, as amended.

Waste type code

16 05 04 gases in pressure containers (including halons) containing dangerous substances

Packaging waste type code

16 05 04 gases in pressure containers (including halons) containing dangerous substances

SECTION 14: Transport information

14.1. UN number

UN 1950

14.2. UN proper shipping name

AEROSOLS

14.3. Transport hazard class(es)

2 Gases

14.4. Packing group

not available

14.5. Environmental hazards

not available

14.6. Special precautions for user

Reference in the Sections 4 to 8.

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

not available


Additional information

Hazard identification No.

UN number

Classification code

Safety signs



(Kemler Code)

5F

2.1



SAFETY DATA SHEET



according to Regulation (EC) No 1907/2006 (REACH) as amended

Silicon-free distributor for the forms

| | | | |
|---------------|--------------------|---------|------|
| Creation date | 21. August 2017 | Version | 1.03 |
| Revision date | 28. September 2018 | | |

Air transport - ICAO/IATA

| | |
|----------------------------------|-----|
| Packaging instructions passenger | 203 |
| Cargo packaging instructions | 203 |

Marine transport - IMDG

| | |
|----------------------|----------|
| EmS (emergency plan) | F-D, S-U |
| MFAG | 620 |

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No. 1907/2006 of the European Parliament and of the Council of 18th December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing the European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No. 793/93 and Commission Regulation (EC) No. 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, as amended. Regulation (EC) No. 1272/2008 of the European Parliament and of the Council of 16th December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No. 1907/2006, as amended. The Act No. 350/2011 Coll., on Chemical Substances and Chemical Preparations as amended (the Chemical Act). Decree No. 80/2014 Coll., amending the Decree No. 194/2001 Coll., laying down technical requirements for aerosol sprays as amended. Decree No. 432/2003 Coll., laying down conditions for assigning categories to individual jobs, limit values of indices from biological exposure tests, conditions for the sampling of biological materials for biological exposure and the particulars of the reports on work with asbestos and biological agents as amended.

Restrictions pursuant to Annex XVII of Regulation (EC) No. 1907/2006 (REACH), as amended

butane, [A complex combination of hydrocarbons obtained by treating a petroleum fraction with hydrogen in the presence of a catalyst. It consists of hydrocarbons having carbon numbers predominantly in the range of C4 through C11 and boiling in the range of approximately minus 20°C to 190°C (-4°F to 374°F) .]

| Restriction | Conditions of restriction |
|-------------|--|
| 28 | <p>Without prejudice to the other parts of this Annex the following shall apply to entries 28 to 30:</p> <p>1. Shall not be placed on the market, or used,</p> <ul style="list-style-type: none">— as substances,— as constituents of other substances, or,— in mixtures, for supply to the general public when the individual concentration in the substance or mixture is equal to or greater than:<ul style="list-style-type: none">— either the relevant specific concentration limit specified in Part 3 of Annex VI to Regulation (EC) No 1272/2008, or,— the relevant concentration specified in Directive 1999/45/EC where no specific concentration limit is set out in Part 3 of Annex VI to Regulation (EC) No 1272/2008. <p>Without prejudice to the implementation of other Community provisions relating to the classification, packaging and labelling of substances and mixtures, suppliers shall ensure before the placing on the market that the packaging of such substances and mixtures is marked visibly, legibly and indelibly as follows:</p> <p>"Restricted to professional users".</p> <p>2. By way of derogation, paragraph 1 shall not apply to:</p> <ul style="list-style-type: none">(a) medicinal or veterinary products as defined by Directive 2001/82/EC and Directive 2001/83/EC;(b) cosmetic products as defined by Directive 76/768/EEC;(c) the following fuels and oil products:<ul style="list-style-type: none">— motor fuels which are covered by Directive 98/70/EC,— mineral oil products intended for use as fuel in mobile or fixed combustion plants,— fuels sold in closed systems (e.g. liquid gas bottles);(d) artists' paints covered by Directive 1999/45/EC.(e) the substances listed in Appendix 11, column 1, for the applications or uses listed in Appendix 11, column 2. Where a date is specified in column 2 of Appendix 11, the derogation shall apply until the said date. |

SAFETY DATA SHEET



according to Regulation (EC) No 1907/2006 (REACH) as amended

Silicon-free distributor for the forms

| | | | |
|---------------|--------------------|---------|------|
| Creation date | 21. August 2017 | Version | 1.03 |
| Revision date | 28. September 2018 | | |

butane, [A complex combination of hydrocarbons obtained by treating a petroleum fraction with hydrogen in the presence of a catalyst. It consists of hydrocarbons having carbon numbers predominantly in the range of C4 through C11 and boiling in the range of approximately minus 20°C to 190°C (-4°F to 374°F) .]

| Restriction | Conditions of restriction |
|-------------|--|
| 29 | <p>Without prejudice to the other parts of this Annex the following shall apply to entries 28 to 30:</p> <ol style="list-style-type: none">1. Shall not be placed on the market, or used,<ul style="list-style-type: none">— as substances,— as constituents of other substances, or,— in mixtures, for supply to the general public when the individual concentration in the substance or mixture is equal to or greater than:<ul style="list-style-type: none">— either the relevant specific concentration limit specified in Part 3 of Annex VI to Regulation (EC) No 1272/2008, or,— the relevant concentration specified in Directive 1999/45/EC where no specific concentration limit is set out in Part 3 of Annex VI to Regulation (EC) No 1272/2008. <p>Without prejudice to the implementation of other Community provisions relating to the classification, packaging and labelling of substances and mixtures, suppliers shall ensure before the placing on the market that the packaging of such substances and mixtures is marked visibly, legibly and indelibly as follows:</p> <p>“Restricted to professional users”.</p> <ol style="list-style-type: none">2. By way of derogation, paragraph 1 shall not apply to:<ol style="list-style-type: none">(a) medicinal or veterinary products as defined by Directive 2001/82/EC and Directive 2001/83/EC;(b) cosmetic products as defined by Directive 76/768/EEC;(c) the following fuels and oil products:<ul style="list-style-type: none">— motor fuels which are covered by Directive 98/70/EC,— mineral oil products intended for use as fuel in mobile or fixed combustion plants,— fuels sold in closed systems (e.g. liquid gas bottles);(d) artists’ paints covered by Directive 1999/45/EC.(e) the substances listed in Appendix 11, column 1, for the applications or uses listed in Appendix 11, column 2. Where a date is specified in column 2 of Appendix 11, the derogation shall apply until the said date. |

15.2. Chemical safety assessment

not available

SECTION 16: Other information

A list of standard risk phrases used in the safety data sheet

| | |
|------|--|
| H220 | Extremely flammable gas. |
| H222 | Extremely flammable aerosol. |
| H225 | Highly flammable liquid and vapour. |
| H229 | Pressurised container: May burst if heated. |
| H304 | May be fatal if swallowed and enters airways. |
| H315 | Causes skin irritation. |
| H336 | May cause drowsiness or dizziness. |
| H361 | Suspected of damaging fertility or the unborn child. |
| H411 | Toxic to aquatic life with long lasting effects. |

Guidelines for safe handling used in the safety data sheet

| | |
|-----------|--|
| P210 | Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. |
| P211 | Do not spray on an open flame or other ignition source. |
| P251 | Do not pierce or burn, even after use. |
| P410+P412 | Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F. |
| P102 | Keep out of reach of children. |

Other important information about human health protection

The product must not be - unless specifically approved by the manufacturer/importer - used for purposes other than as per the Section 1. The user is responsible for adherence to all related health protection regulations.

SAFETY DATA SHEET



according to Regulation (EC) No 1907/2006 (REACH) as amended

Silicon-free distributor for the forms

| | | | |
|---------------|--------------------|---------|------|
| Creation date | 21. August 2017 | Version | 1.03 |
| Revision date | 28. September 2018 | | |

Key to abbreviations and acronyms used in the safety data sheet

| | |
|------------------|---|
| ADR | European agreement concerning the international carriage of dangerous goods by road |
| BCF | Bioconcentration Factor |
| CAS | Chemical Abstracts Service |
| CLP | Regulation (EC) No 1272/2008 on classification, labelling and packaging of substance and mixtures |
| DNEL | Derived no-effect level |
| EC | Identification code for each substance listed in EINECS |
| EC ₅₀ | Concentration of a substance when it is affected 50% of the population |
| EINECS | European Inventory of Existing Commercial Chemical Substances |
| EmS | Emergency plan |
| EU | European Union |
| IATA | International Air Transport Association |
| IBC | International Code For The Construction And Equipment of Ships Carrying Dangerous Chemicals |
| IC ₅₀ | Concentration causing 50% blockade |
| ICAO | International Civil Aviation Organization |
| IMDG | International Maritime Dangerous Goods |
| INCI | International Nomenclature of Cosmetic Ingredients |
| ISO | International Organization for Standardization |
| IUPAC | International Union of Pure and Applied Chemistry |
| LC ₅₀ | Lethal concentration of a substance in which it can be expected death of 50% of the population |
| LD ₅₀ | Lethal dose of a substance in which it can be expected death of 50% of the population |
| LOAEC | Lowest observed adverse effect concentration |
| LOAEL | Lowest observed adverse effect level |
| log Kow | Octanol-water partition coefficient |
| MARPOL | International Convention for the Prevention of Pollution From Ships |
| NOAEC | No observed adverse effect concentration |
| NOAEL | No observed adverse effect level |
| NOEC | No observed effect concentration |
| NOEL | No observed effect level |
| OEL | Occupational Exposure Limits |
| PBT | Persistent, Bioaccumulative and Toxic |
| PNEC | Predicted no-effect concentration |
| ppm | Parts per million |
| REACH | Registration, Evaluation, Authorisation and Restriction of Chemicals |
| RID | Agreement on the transport of dangerous goods by rail |
| UN | Four-figure identification number of the substance or article taken from the UN Model Regulations |
| UVCB | Substances of unknown or variable composition, complex reaction products or biological materials |
| VOC | Volatile organic compounds |
| vPvB | Very Persistent and very Bioaccumulative |
| Aerosol | Flammable aerosol |
| Aquatic Chronic | Hazardous to the aquatic environment |
| Asp. Tox. | Aspiration hazard |
| Flam. Gas | Flammable gas |
| Flam. Liq. | Flammable liquid |
| Repr. | Reproductive toxicity |
| Skin Irrit. | Skin irritation |
| STOT SE | Specific target organ toxicity - single exposure |

Training guidelines

Inform the personnel about the recommended ways of use, mandatory protective equipment, first aid and prohibited ways of handling the product.

SAFETY DATA SHEET



according to Regulation (EC) No 1907/2006 (REACH) as amended

Silicon-free distributor for the forms

| | | | |
|---------------|--------------------|---------|------|
| Creation date | 21. August 2017 | Version | 1.03 |
| Revision date | 28. September 2018 | | |

Recommended restrictions of use

not available

Information about data sources used to compile the Safety Data Sheet

REGULATION (EC) No. 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL (REACH) as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. The Act No. 350/2011 Coll., on Chemical Substances and Chemical Preparations as amended. First aid principles after the exposure to the chemicals (Zásady pro poskytování první pomoci při expozici chemickým látkám, doc. MUDr. Daniela Pelclová, CSc., MUDr. Alexandr Fuchs, CSc., MUDr. Miroslava Hornyčová, CSc., MUDr. Zdeňka Trávníčková, CSc., Jiřina Fridrichovská, prom. chem.). Data from the manufacturer of the substance / mixture, if available - information from registration dossiers.

Statement

The safety data sheet provides information aimed at ensuring safety and health protection at work and environmental protection. The provided information corresponds to the current status of knowledge and experience and complies with valid legal regulations. The information should not be understood as guaranteeing the suitability and usability of the product for a particular application.