

szyna zbiorcza kołkowa zabezpieczona przed dotknięciem, 10 mm² 1-fazowy, długość 1016 mm z możliwością cięcia, bez nasadek krańcowych



Wersja		
Nazwa markowa produktu	SENTRON	
oznaczenie produktu	szyna zbiorcza kołkowa	
wykonanie produktu	10 mm², 1FAZ L1016 mm	
Ogólne dane techniczne		
liczba faz	1	
przekrój	10 mm²	
Obwód główny		
prąd roboczy wartość znamionowa	63 A	
Szczegóły produktu		
właściwość produktu elektrycznie izolowany	Tak	
Połączenia		
wykonanie przyłącza elektrycznego	Kolek	
Konstrukcja mechaniczna		
szerokość	15,5 mm	
długość	1 016 mm	
masa netto	158,59 g	
General Product Approval		other
Declaration of Conformity		

[Confirmation](#)

[Miscellaneous](#)



[Confirmation](#)

other	Environment
-------	-------------

[Miscellaneous](#)

[Environmental Con-
firmations](#)

Więcej informacji

Siemens has decided to exit the Russian market (see here).

<https://press.siemens.com/global/en/pressrelease/siemens-wind-down-russian-business>

Siemens is working on the renewal of the current EAC certificates.

Please contact your local Siemens office on the status of validity of the EAC certification if you intend to import or offer to supply these products to an EAC relevant market (other than the sanctioned EAEU member states Russia or Belarus).

Informacje dotyczące opakowania

[Informacje dotyczące opakowania](#)

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=5ST3731>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/pl/ps/5ST3731>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)


http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=5ST3731

CAX-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://www.siemens.com/specifications>



Ostatnia zmiana:

8.03.2022 

